

# [CentOS-announce]

## CESA-2021:0742 Important

### CentOS 7 screen Security Update

CentOS Errata and Security Advisory 2021:0742 Important  
Upstream details at :  
<https://access.redhat.com/errata/RHSA-2021:0742>

The following updated files have been uploaded and are currently

syncing to the mirrors: ( sha256sum Filename )

x86\_64:

30b844415ba647e65a9810574f3ded5e1fc1edd02e28f73cc44ee2c35e97ba  
ea screen-4.1.0-0.27.20120314git3c2946.el7\_9.x86\_64.rpm

Source:

8110b0f5f7bc0070b8cd656a7965d0f7d2f7c69102bbd80dbfc966ea718f96  
d8 screen-4.1.0-0.27.20120314git3c2946.el7\_9.src.rpm

—

Johnny Hughes

CentOS Project { <http://www.centos.org/> }

irc: hughesjr, #[hidden email]

Twitter: @JohnnyCentOS

---

CentOS-announce mailing list

[hidden email]

<https://lists.centos.org/mailman/listinfo/centos-announce>

---

## **USN-4911-1: Linux kernel (OEM) vulnerabilities**

It was discovered that the Nouveau GPU driver in the Linux kernel did not properly handle error conditions in some situations. A local attacker could use this to cause a denial of service (system crash). (CVE-2020-25639)

Jan Beulich discovered that the Xen netback backend in the Linux kernel did not properly handle certain error conditions under paravirtualization. An attacker in a guest VM could possibly use this to cause a denial of service (host domain crash). (CVE-2021-28038)

It was discovered that the fastrpc driver in the Linux kernel did not prevent user space applications from sending kernel RPC messages. A local attacker could possibly use this to gain elevated privileges. (CVE-2021-28375)

It was discovered that the fuse user space file system implementation in the Linux kernel did not properly handle bad inodes in some

situations. A

local attacker could possibly use this to cause a denial of service.

(CVE-2021-28950)

---

## USN-4909-1: Linux kernel vulnerabilities

Loris Reiff discovered that the BPF implementation in the Linux kernel did

not properly validate attributes in the getsockopt BPF hook. A local

attacker could possibly use this to cause a denial of service (system

crash). (CVE-2021-20194)

Olivier Benjamin, Norbert Manthey, Martin Mazein, and Jan H. Schönherr

discovered that the Xen paravirtualization backend in the Linux kernel did

not properly propagate errors to frontend drivers in some situations. An

attacker in a guest VM could possibly use this to cause a denial of service

(host domain crash). (CVE-2021-26930)

Jan Beulich discovered that multiple Xen backends in the Linux kernel did

not properly handle certain error conditions under paravirtualization. An

attacker in a guest VM could possibly use this to cause a denial of service

(host domain crash). (CVE-2021-26931)

It was discovered that the network block device (nbd) driver in the Linux kernel contained a use-after-free vulnerability during device setup. A local attacker with access to the nbd device could use this to cause a denial of service (system crash) or possibly execute arbitrary code. (CVE-2021-3348)

---

## **USN-4912-1: Linux kernel (OEM) vulnerabilities**

Piotr Krysiuk discovered that the BPF JIT compiler for x86 in the Linux kernel did not properly validate computation of branch displacements in some situations. A local attacker could use this to cause a denial of service (system crash) or possibly execute arbitrary code. (CVE-2021-29154)

It was discovered that a race condition existed in the binder IPC implementation in the Linux kernel, leading to a use-after-free vulnerability. A local attacker could use this to cause a denial of service (system crash) or possibly execute arbitrary code. (CVE-2020-0423)

It was discovered that the HID multitouch implementation within the Linux kernel did not properly validate input events in some

situations. A

physically proximate attacker could use this to cause a denial of service

(system crash) or possibly execute arbitrary code. (CVE-2020-0465)

It was discovered that the eventpoll (aka epoll) implementation in the

Linux kernel contained a logic error that could lead to a use after free

vulnerability. A local attacker could use this to cause a denial of service

(system crash) or possibly execute arbitrary code. (CVE-2020-0466)

It was discovered that a race condition existed in the perf subsystem of

the Linux kernel, leading to a use-after-free vulnerability.

An attacker

with access to the perf subsystem could use this to cause a denial of

service (system crash) or possibly execute arbitrary code. (CVE-2020-14351)

It was discovered that the frame buffer implementation in the Linux kernel

did not properly handle some edge cases in software scrollbar. A local

attacker could use this to cause a denial of service (system crash) or

possibly execute arbitrary code. (CVE-2020-14390)

It was discovered that a race condition existed in the hugetlb sysctl

implementation in the Linux kernel. A privileged attacker could use this to

cause a denial of service (system crash). (CVE-2020-25285)

It was discovered that the GENEVE tunnel implementation in the Linux kernel when combined with IPSec did not properly select IP routes in some situations. An attacker could use this to expose sensitive information (unencrypted network traffic). (CVE-2020-25645)

Bodong Zhao discovered a use-after-free in the Sun keyboard driver implementation in the Linux kernel. A local attacker could use this to cause a denial of service or possibly execute arbitrary code. (CVE-2020-25669)

Shisong Qin and Bodong Zhao discovered that Speakup screen reader driver in the Linux kernel did not correctly handle setting line discipline in some situations. A local attacker could use this to cause a denial of service (system crash). (CVE-2020-27830)

It was discovered that the Marvell WiFi-Ex device driver in the Linux kernel did not properly validate ad-hoc SSIDs. A local attacker could use this to cause a denial of service (system crash) or possibly execute arbitrary code. (CVE-2020-36158)

Loris Reiff discovered that the BPF implementation in the Linux kernel did not properly validate attributes in the getsockopt BPF hook. A local attacker could possibly use this to cause a denial of service (system crash). (CVE-2021-20194)

Adam Zabrocki discovered that the kprobes subsystem in the Linux kernel did not properly detect linker padding in some situations. A privileged attacker could use this to cause a denial of service (system crash) or possibly expose sensitive information. (CVE-2021-3411)

□□ discovered that the NFS implementation in the Linux kernel did not properly prevent access outside of an NFS export that is a subdirectory of a file system. An attacker could possibly use this to bypass NFS access restrictions. (CVE-2021-3178)

---

## **USN-4910-1: Linux kernel vulnerabilities**

Ryota Shiga discovered that the sockopt BPF hooks in the Linux kernel could allow a user space program to probe for valid kernel addresses. A local attacker could use this to ease exploitation of another kernel vulnerability. (CVE-2021-20239)

It was discovered that the BPF verifier in the Linux kernel did not properly handle signed add32 and sub integer overflows. A local attacker could use this to cause a denial of service (system crash) or possibly execute arbitrary code. (CVE-2021-20268)

It was discovered that the priority inheritance futex implementation in the Linux kernel contained a race condition, leading to a use-after-free vulnerability. A local attacker could use this to cause a denial of service (system crash) or possibly execute arbitrary code. (CVE-2021-3347)

It was discovered that the network block device (nbd) driver in the Linux kernel contained a use-after-free vulnerability during device setup. A local attacker with access to the nbd device could use this to cause a denial of service (system crash) or possibly execute arbitrary code. (CVE-2021-3348)

██ discovered that the NFS implementation in the Linux kernel did not properly prevent access outside of an NFS export that is a subdirectory of a file system. An attacker could possibly use this to bypass NFS access restrictions. (CVE-2021-3178)