

Manage Debian Repositories with a GUI

You can manage the repositories in Debian with the terminal just fine. It's not very difficult, but you can also easily manage them with a GUI. Here's how!

Debian is an operating system that is quite popular to build off. There are many derivatives and derivatives of derivatives. Debian first appeared on the scene in 1993 and is the parent of popular distros like Ubuntu – and so the grandparent of the many distros based on Ubuntu. I strongly suspect that more people use Debian derivatives than actually use Debian itself.

I'm going to assume that you have a brand new copy of Debian freshly installed. Furthermore, I'm going to assume that you only grabbed the first .iso of the lot.

If the above is true, the first thing you're going to need to do is get rid of the cdrom entries in your apt sources. If you try to install (or update) and have cdrom listed in your sources then you'll bump into some errors. So, let's deal with that first.

Start your terminal with the trusty CTRL + ALT + T.

Now, to fix that cdrom thing we're going to need to edit your 'sources.list' file. To do that, we enter this in the terminal:

```
[code]sudo nano /etc/apt/sources.list[/code]
```

Find the line that starts with 'cdrom' and put a # in front of it to comment it out. It should look a bit like this:

```
# deb cdrom:[Debian GNU/Linux 10.8.0 _Buster_ - Official amd64 DVD Binary-1 20210206-10:31]/ buster contrib main
# deb cdrom:[Debian GNU/Linux 10.8.0 _Buster_ - Official amd64 DVD Binary-1 20210206-10:31]/ buster contrib main

deb http://mirrors.lug.mtu.edu/debian/ buster main contrib non-free
deb-src http://mirrors.lug.mtu.edu/debian/ buster main contrib non-free

deb http://security.debian.org/debian-security buster/updates main contrib non-free
deb-src http://security.debian.org/debian-security buster/updates main contrib non-free

# buster-updates, previously known as 'volatile'
deb http://mirrors.lug.mtu.edu/debian/ buster-updates main contrib non-free
deb-src http://mirrors.lug.mtu.edu/debian/ buster-updates main contrib non-free
```

That's opened after editing. Your version may look different.

Now, go ahead and save it. Seeing as we're using nano, you do that pressing CTRL + X, then Y, and then ENTER.

At this point, we need to make sure the system knows we made that change. So, we're going to update the lists of software available with this:


```
[code]sudo apt update[/code]
```

That shouldn't take all that long, especially if it's a new installation and the software was updated during the install. So, our final steps in the terminal are these:

```
[code]sudo apt install software-properties-gtk[/code]
```

Pound on the enter key, type your password if asked, and pound on the enter key again after entering the 'y' response if asked.

That's it. You're done. If you look in your menu, you should see a new entry called "Software & Updates". Root around in the tabs and revel in your new tool to manage repos and a few other things.



See? Mission accomplished and it wasn't even all that painful! Congratulations!

As always, thanks for reading. It's truly appreciated. I check my stats most every day and have been enjoying seeing them trend upwards. The site is actually starting to get indexed and will hopefully be a repository of information for years to come.

Don't forget to sign up for the newsletter. I'll only send you automatic updates when there's something published (or meta stuff concerning the site). I shan't spam nor sell your email address. In fact, odds are good that I won't even look at your email address, for I am a lazy and disinterested man. Have a great day!

How To: GUI Login as Root in

Ubuntu

In this article, I'm going to show you how to enable the root account with Ubuntu. This is a terrible idea and you should definitely not do this. Ever.

A while back, I told you how to enable root in Ubuntu. In that article, I also wrote about the people who don't answer questions when they don't think you're doing things the right way. Being the kind of person I am, I'll happily tell you how to make your OS less secure.

And, trust me, this is a horrible idea from a security perspective – especially if you don't have good physical security. Then again, if you don't have good physical security then your computer is already compromised if someone wants to just boot to a live USB thumb-drive and if you haven't taken the steps to encrypt your private data.

NOTE: This is only good for Ubuntu. It looks like it should work from 18.04 to 20.10, and will probably continue to work until Ubuntu moves on from GDM3. (GDM3 is Gnome Display Manager 3, a drop-in replacement for GDM.) This may work for other Ubuntu flavors, I haven't tested. If you do test or know, please leave a comment below. Thanks!

Anyhow, on with the work. This shouldn't take too long.

The first step is to set up the system so that you can login as root. To do that, you have to enable root login for Ubuntu. You should probably read the warnings on that page and you should think carefully before doing this to your own computer.

The next step is to crack open your default terminal emulator. You can do that by pressing CTRL + ALT + T.

Now let's make you a superuser. You can do that with:

```
[code]sudo su[/code]
```

(Press enter and enter your password, of course.)

Our next step is to tell GDM3 to let us use the root login.

```
[code]nano /etc/gdm3/custom.conf[/code]
```

You're going to arrow down to just below the automatic login configurations and enter this line:

```
[code]AllowRoot=true[/code]
```

Then, you'll press CTRL + X, then Y, and then ENTER. (Congratulations, you've used 'nano' again and edited a file in the terminal!)

Our next step is to tell PAM (Pluggable Authentication Modules) that logging in as root is okay. That's pretty easy, and we'll do it with nano once again.

```
[code]nano /etc/pam.d/gdm-password[/code]
```

Now, scroll down and look for this line:

```
[code]auth required pam_succeed_if.so user != root  
quiet_success[/code]
```

What you're going to do is 'comment it out'. Basically, you're adding the # symbol which means, in this case, 'skip this line'. It's a way to tell the system to ignore a line while leaving the line there in case you change your mind.

So, change that line so that it looks like this:


```
[code]#auth required pam_succeed_if.so user != root  
quiet_success[/code]
```

Now, save it just like you did above. (Press CTRL + X, then Y, and then ENTER.)


You're still using 'sudo su' and you can get out of that mode with:

```
[code]exit[/code]
```


Now, when you next reboot, you can login as root. What you need to do is click on 'Not Listed', type in 'root', and then enter your password.



Like so...



And like this...



Enter your password and then press the ENTER button.

Tada! You're now logged in as root for no good reason and with almost no benefits! Congratulations! Now, undo it and go back to being a bit more secure. Or not... I don't mind. Just don't let your box get owned and turned into something malicious like a spam bot or a node in bot network used to do things like DDOS sites for money. Seriously, this is a horrible idea and you shouldn't do this.

Anyhow, thanks for reading. I appreciate it and I'm glad to get some of my notes online – finally. Things seem to be going at a good pace right now and I suspect I can keep this up for a while. If you want to be notified of new articles, you can either sign up for the newsletter (which is spam free) or you can use push notifications and your browser will happily tell you when there's something new published. If you sign up for the newsletter, I promise to not send any spam. I'll only ever use it for article notifications or very important site notices.